

Section 1. Product and Company Identification

IDENTITY: Gin Twist Curl Quenching Conditioner

MANUFACTURER'S CODE: 56500-01

SUPPLIER NAME: 24 Hr. EMERO

DRYBAR PRODUCTS LLC/HELEN OF TROY

ONE HELEN OF TROY PLAZA

EL PASO, TEXAS 79912

24 Hr. EMERGENCY TELEPHONE NUMBER:

VELOCITY EHS (CHEMTEL) DOMESTIC: 800.255.3924;

TELEPHONE NUMBER FOR INFORMATION: 800.487.7273

email: prousso@helenoftroy.com

Date Prepared : 2-Feb-21

SECTION 2. HAZARD IDENTIFICATION

GHS Classification (According to Regulation 2012 OSHA Hazard Communicaton Stardard: 29 CFR 1910.1200) : No Need for classification according to GHS criteria.

GHS Label Element:

The product does not require a hazard warning label in accordance with GHS criteria

Symbol: No needed according to classification criteria.

Signal Word: No needed according to classification criteria.

Hazard Statement: No needed according to classification criteria.

Precautionary Statement: No needed according to classification criteria.

Other Hazards which do not result in classification

INHALATION: Slight nasal irritation may occur

SKIN CONTACT: May be irritating to extra-sensitive skin.

EYE CONTACT: May cause mechanical irritation.

INGESTION: Harmful if swallowed. May cause gastrointestinal irritation.

CHRONIC EFFECTS AND MEDICAL CONDITIONS AGGRAVATED BY OVEREXPOSURE:

Chronic effects and medical conditions aggravated by overexposure to this product have been not

established. Unnecessary exposure to this product or any chemical should be avoided.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Based on the health hazard determination of contained ingredients present, this mixture presents the following health hazard(s):

HAZARDOUS COMPONENTS	% RANGE	CAS NO.	OSHA PEL	ACGIH TLV
N/A				

MANUFACTURER'S NAME: Drybar Products LLC/Helen of Troy El Paso, TX 79912

INFORMATION/EMERGENCY NO. VELOCITY EHS 800.255.3924;

SECTION 4. FIRST AID MEASURES:

INHALATION: If inhaled, remove to fresh air. Get Medical attentation if symptoms occur

SKIN: If irritation is experienced, wash exposed area thoroughly with water. If irritation persists, get

medical assistance.

EYES: Flush with plenty of water for 15 minutes, if irritation persists, get medical assistance.

INGESTION: Do not induce vomiting, drink 3-4 glasses of water. Get prompt medical attention.

SECTION 5. FIRE FIGHTING MEASURES:

FLAMMABILITY CLASSIFICATION: not flammable FLASH POINT: not applicable

EXTINGUISHING MEDIA: Foam, CO₂, water fog, sand/earth.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Not applicable.

SPECIAL FIRE FIGHTING PROCEDURES: Must wear NIOSH approved self-contained breathing

apparatus and protective clothing. Cool fire exposed container with water spray.

SECTION 6. ACCIDENTAL RELEASE MEASURES:

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Caution! Floor may become slippery. Absorb spilled material with inert material such as sawdust, sand or earth.

DISPOSAL METHOD: Sweep up and dispose of in accordance with Federal, State and local regulations.

SECTION 7. HANDLING AND STORAGE:

USAGE PRECAUTIONS: Use as directed.

STORAGE PRECAUTIONS: Protect containers against physical damage. Keep closed until used.

Store in a dry place at ambient temperatures. Keep out of reach of children.

OTHER PRECAUTION: Caution! Spilled material is slippery.

MANUFACTURER'S NAME: INFORMATION/EMERGENO		Drybar Products LLC/Helen of Troy El Paso, TX 79912 VELOCITY EHS 800.255.3924;				
SECTION 8. EXPOS	SURE CON	TROLS AND PERSO	NAL PROTECTION:			
ENGINEERING CONT	ROL:	Not required.				
RESPIRATION PROTE	ECTION: 1	Not applicable.				
PROTECTIVE GLOVES: Not required.						
EYE AND FACE PROTECTION: Not required.						
HYGIENIC WORK PRACTICES: No special practices noted. No eating or drinking while working with this material.						
SECTION 9. PHYSIC	CAL AND C	CHEMICAL PROPERT	TIES:			
BOILING RANGE:		VAPOR DENSITY:	X HEAVIER	LIGHTER THAN AIR		
Not determi EVAPORATION RATE		FASTER	X SLOWER, THAN ETHE	ER .		
APPEARANCE:	Opaque, Se	emi- Viscous Condition	ner			
ODOR/TASTE:	Musky					
SOLUBILITY IN WATER: Miscible						
pH (range):	4.00 - 4.80					
Specific Gravity:	0.990					
VISCOSITY (range):		00 - 50,000 CPS 000 - 120,000 CPS				
SECTION 10. STABILITY AND REACTIVITY:						
STABILITY:	_UNSTAB	LE X	_STABLE			
INCOMPATIBILITY (MATERIALS TO AVOID): Strong acids and oxidizing agents.				g agents.		
HAZARDOUS DECOMPOSITION PRODUCTS: May produce toxic fumes of oxides of carbon, sulfur and nitrogen; ammonia.						
HAZARDOUS POLYMERIZATION: MAY OCCUR X WILL NOT OCCUR						
CONDITIONS TO AVOID: Extreme temperatures						

MANUFACTURER'S NAME: Drybar Products LLC/Helen of Troy El Paso, TX 79912

INFORMATION/EMERGENCY NO. VELOCITY EHS 800.255.3924;

SECTION 11. TOXICOLOGICAL INFORMATION:

The product has not been tested fro specific toxicity data. This product has not been tested on animals.

Carcinogenicity: This information is not available.

Reproductive toxicity: No Data Available STOT-Single exposure: No Data Available STOT-Repeated exposure: No Data Available Aspiration toxicicy: No Data Available

SECTION 12. ECOLOGICAL INFORMATION:

Ecotoxicity: No Data Available

Persistence and degradability: No Data Available Bioaccumlative potential: No Data Available Other Adverse Effects: No Data Available

SECTION 13. DISPOSAL CONSIDERATIONS:

WASTE DISPOSAL METHOD: Collect and dispose of in accordance with Federal, State and local laws and regulations. This product is not classified as a hazardous waste.

SECTION 14. TRANSPORT INFORMATION:

Gereral information: Not regulated according to RID, ADR, ADNR, IMDG, IATA-DGR, CFR and TDG

SECTION 15. REGULATORY INFORMATION:

U.S Federal Regulations

TSCA: All components are listed or exempted

SARA, Title III, Section 313 (40CFR 372): No listed substance

SARA 302/304/311/312 extremely hazardous substances: No listed substance SARA 302/304 emergency planning and notification: No listed substance

California Proposition 65: This product is not subject to warning labeling under California Proposition 65

SECTION 16. OTHER INFORMATION:

HMIS IDENTIFICATION SYSTEM:

HEALTH 0
FLAMMABILITY 0
PHYSICAL HAZARD 0

REVISION: 10-Feb-2015

DISCLAIMER:

The information contained in this Material Safety Data Sheet is furnished without warranty of any kind, expressed or implied. Information in this Data Sheet has been assembled by the manufacturer based on it's own studies and on the work of others, and is believed to be correct as of the date issued. However, no warranty of any kind is expressed or implied as to the accuracy, completeness, or adequacy of the information obtained herein. The manufacturer shall not be liable, regardless of fault, to the vendee, the vendee's employees, or anyone for any direct, special or consequential damages arising out of or in connection with the accuracy, completeness, or adequacy of the information herein. It is intended to assist in the normal safe usage of the product.