

Section 1. Product and	l Company Identificatior	1
------------------------	--------------------------	---

IDENTITY: Gin Twist Curl Quenching Shampoo

MANUFACTURER'S CODE: 56501-04

DRYBAR PRODUCTS LLC/HELEN OF TROY

ONE HELEN OF TROY PLAZA

EL PASO, TEXAS 79912

SUPPLIER NAME: 24 Hr. EMERGENCY TELEPHONE NUMBER:

VELOCITY EHS (CHEMTEL) DOMESTIC: 800.255.3924;

TELEPHONE NUMBER FOR INFORMATION:

800.487.7273

email: prousso@helenoftroy.com

Date Prepared: 6-Apr-21

SECTION 2. HAZARD IDENTIFICATION

GHS Classification (According to Regulation 2012 OSHA Hazard Communication Stardard: 29 CFR 1910.1200) : No Need for classification according to GHS criteria.

GHS Label Element:

The product does not require a hazard warning label in accordance with GHS criteria

Symbol: No needed according to classification criteria.

Signal Word: No needed according to classification criteria.

Hazard Statement: No needed according to classification criteria.

Precautionary Statement: No needed according to classification criteria.

Other Hazards which do not result in classification

INHALATION: Slight nasal irritation may occur

SKIN CONTACT: May be irritating to extra-sensitive skin.

EYE CONTACT: May cause mechanical irritation.

INGESTION: Harmful if swallowed. May cause gastrointestinal irritation.

CHRONIC EFFECTS AND MEDICAL CONDITIONS AGGRAVATED BY OVEREXPOSURE:

Chronic effects and medical conditions aggravated by overexposure to this product have been not

established. Unnecessary exposure to this product or any chemical should be avoided.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Based on the health hazard determination of contained ingredients present, this mixture presents the following health hazard(s):

HAZARDOUS COMPONENTS	% RANGE	CAS NO.	OSHA PEL	ACGIH TLV
N/A				

MANUFACTURER'S NAME: Drybar Products LLC/Helen of Troy El Paso, TX 79912

INFORMATION/EMERGENCY NO. VELOCITY EHS (CHEMTEL) 800.255.3924;

SECTION 4. FIRST AID MEASURES:

INHALATION: If inhaled, remove to fresh air. Get Medical attentation if symptoms occur

SKIN: If irritation is experienced, wash exposed area thoroughly with water. If irritation persists, get

medical assistance.

EYES: Flush with plenty of water for 15 minutes, if irritation persists, get medical assistance.

INGESTION: Do not induce vomiting, drink 3-4 glasses of water. Get prompt medical attention.

SECTION 5. FIRE FIGHTING MEASURES:

FLAMMABILITY CLASSIFICATION: not flammable FLASH POINT: not applicable

EXTINGUISHING MEDIA: Foam, CO₂, water fog, sand/earth.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Not applicable.

SPECIAL FIRE FIGHTING PROCEDURES: Must wear NIOSH approved self-contained breathing

apparatus and protective clothing. Cool fire exposed container with water spray.

SECTION 6. ACCIDENTAL RELEASE MEASURES:

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Caution! Floor may become slippery. Absorb spilled material with inert material such as sawdust, sand or earth.

DISPOSAL METHOD: Sweep up and dispose of in accordance with Federal, State and local regulations.

SECTION 7. HANDLING AND STORAGE:

USAGE PRECAUTIONS: Use as directed.

STORAGE PRECAUTIONS: Protect containers against physical damage. Keep closed until used.

Store in a dry place at ambient temperatures. Keep out of reach of children.

OTHER PRECAUTION: Caution! Spilled material is slippery.

MANUFACTURER'S NAME: INFORMATION/EMERGENCY NO.	Drybar Products LLC/Hele VELOCITY EHS (CHEMTE	n of Troy El Paso, TX 79912 EL) 800.255.3924;		
SECTION 8. EXPOSURE COI	NTROLS AND PERSO	NAL PROTECTION:		
ENGINEERING CONTROL:	Not required.			
RESPIRATION PROTECTION:	Not applicable.			
PROTECTIVE GLOVES: Not re	quired.			
EYE AND FACE PROTECTION:	Not required.			
HYGIENIC WORK PRACTICES:	No special practices this material.	noted. No eating or drinking while	working with	
SECTION 9. PHYSICAL AND	CHEMICAL PROPERT	ΓIES:		
BOILING RANGE:	VAPOR DENSITY:	X HEAVIER	LIGHTER THAN AIR	
Not determined. EVAPORATION RATE:	FASTER	X SLOWER, THAN ETHER		
APPEARANCE: Opaque, P	earlized, Semi- Viscou	ıs Liquid		
ODOR/TASTE: Floral				
SOLUBILITY IN WATER:	Miscible			
pH (range): 5.50 - 6.50				
Specific Gravity: 1.030				
VISCOSITY (range): 7,000 - 13,	000 CPS			
SECTION 10. STABILITY AN	D REACTIVITY:			
STABILITY:UNSTAE	BLE X	STABLE		
INCOMPATIBILITY (MATERIALS TO AVOID): Strong acids and oxidizing agents.				
HAZARDOUS DECOMPOSITION	I PRODUCTS:	May produce toxic fumes of oxide nitrogen; ammonia.	es of carbon, sulfur and	
HAZARDOUS POLYMERIZATIO	N: MAY OCC	UR <u>X</u> WILL NO	T OCCUR	
CONDITIONS TO AVOID: Extre	me temperatures.			

MANUFACTURER'S NAME: Drybar Products LLC/Helen of Troy El Paso, TX 79912

INFORMATION/EMERGENCY NO. VELOCITY EHS (CHEMTEL) 800.255.3924;

SECTION 11. TOXICOLOGICAL INFORMATION:

The product has not been tested fro specific toxicity data. This product has not been tested on animals.

Carcinogenicity: This information is not available.

Reproductive toxicity: No Data Available STOT-Single exposure: No Data Available STOT-Repeated exposure: No Data Available Aspiration toxicicy: No Data Available

SECTION 12. ECOLOGICAL INFORMATION:

Ecotoxicity: No Data Available

Persistence and degradability: No Data Available Bioaccumlative potential: No Data Available Other Adverse Effects: No Data Available

SECTION 13. DISPOSAL CONSIDERATIONS:

WASTE DISPOSAL METHOD: Collect and dispose of in accordance with Federal, State and local laws and regulations. This product is not classified as a hazardous waste.

SECTION 14. TRANSPORT INFORMATION:

Gereral information: Not regulated according to RID, ADR, ADNR, IMDG, IATA-DGR, CFR and TDG

SECTION 15. REGULATORY INFORMATION:

U.S Federal Regulations

TSCA: All components are listed or exempted

SARA, Title III, Section 313 (40CFR 372): No listed substance

SARA 302/304/311/312 extremely hazardous substances: No listed substance SARA 302/304 emergency planning and notification: No listed substance

California Proposition 65: This product is not subject to warning labeling under California Proposition 65

SECTION 16. OTHER INFORMATION:

HMIS IDENTIFICATION SYSTEM:

HEALTH 0
FLAMMABILITY 0

PHYSICAL HAZARD 0

REVISION: 10-Feb-2015

DISCLAIMER:

The information contained in this Material Safety Data Sheet is furnished without warranty of any kind, expressed or implied. Information in this Data Sheet has been assembled by the manufacturer based on it's own studies and on the work of others, and is believed to be correct as of the date issued. However, no warranty of any kind is expressed or implied as to the accuracy, completeness, or adequacy of the information obtained herein. The manufacturer shall not be liable, regardless of fault, to the vendee, the vendee's employees, or anyone for any direct, special or consequential damages arising out of or in connection with the accuracy, completeness, or adequacy of the information herein. It is intended to assist in the normal safe usage of the product.